# CONTENTS

HARNESS AND PIGIAILS	400-000
BATTERY CHARGER	400-001
BATTERY PARALLEL	400-002
BILGE BLOWERS	400-003
HEAD BLOWER	400-004
SHOREPOWER	400-005
120 VAC W/GENERATOR SCHEMATIC	400-006
220 VAC W/GENERATOR SCHEMATIC	400-007
12 VDC SCHEMATIC	400-008
AC/DC PANEL 120 VAC/12 VDC	400-009
AC/DC PANEL 220 VAC/12 VDC	400-010
AIR CONDITIONER	400-011
HIGH WATER ALARM	400-012
CO SENSOR	400-013
CONSTANT POWER	400-014
DC POWER SUPPLY	400-015
DEPTH SOUNDER	400-016
ENGINE HATCH	400-017
FIRE SAFETY SHUTDOWN	400-017A
FUME DETECTOR	400-018
GALVANIC ISOLATOR	400-074
GENERATOR	400-019
STARBOARD OUTLETS	400-020
ICEMAKER OUTLET	400-020A
PORT OUTLETS	400-020B
GLOBAL POSITIONING SYSTEM	400-021
HEAD PUMP	400-022
HORN	400-023

ICEMAKER	400-024
IGNITION SYSTEM DEISEL	400-025
IGNITION SYSTEM GAS	400-025A
ACCESSORY PANEL	400-026
AFT BREAKER PANEL	400-027
DASH BREAKER PANEL #1	400-028
CENTER INSTRUMENT PANEL	400-030
IGNITION PANEL	400-031
OUTBOARD INSTRUMENT PANEL	400-032
INBOARD INSTRUMENT PANEL	400-033
LOWER INSTRUMENT PANEL	400-034
TRIM AND DRIVE PANEL	400-035
COURTESY ARCH LIGHTS	400-036
COURTESY COCKPIT LIGHTS	400-037
ENGINE ROOM LIGHTS	400-038
NAVIGATIONAL/ANCHOR LIGHTS	400-039
AFT OVERHEAD CABIN LIGHTS	400-040
CABIN FLOOR LIGHTS	400-041
AFT CABIN ACCENT LIGHTS	400-042
MAIN CABIN ACCENT LIGHTS	400-043
MAIN CABIN OVERHEAD LIGHTS	
ELECTRICAL MACERATOR	
OUTLETS, 12VDC, DASH	400-046
OUTLETS, 12VDC, AFT CABIN	400-047
PUMPS, AUTOMATIC ENGINE BILGE	400-048
PUMPS, AUTOMATIC CABIN BILGE	400-073
PUMPS, MANUAL ENGINE BILGE	400-049



TITLE: TABLE OF CONTENTS		THUNDERBIRD PRODUCTS
		P.O. BOX 1003
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
No.: 400-A	DATE:06/08/99	(260) 724-9111

# CONTENTS

PUMP, SHOWER SUMP400-050
REFRIGERATOR
SPOTLIGHT400-052
SPOTLIGHT WIRING
STEREO400-054
STEREO AMPS
SPEAKER LOCATIONS
STEREO SPEAKER WIRING
STOVE400-058
TRIM TABS
TV/VCR400-060
VHF RADIO
WATER PUMP
WINDLASS
WIPERS
WALL VACUUM400-065
WATER HEATER400-066
PLUMBING, HEAD PUMP
PLUMBING, MACERATOR400-068
PLUMBING, SHOWERSUMP, ENGINE BILGE400-069
PLUMBING, WATER PUMP
FUEL SYSTEM, DIESEL
FUEL SYSTEM, GASOLINE
BOW THRUSTER



TITLE: TABLE OF CONTENTS			THUNDERBIRD PRODUCTS
		ENTS	P.O. BOX 1003
MOD.:	400 SS	DR BY: BMW	DECATUR IN., 46733-5003
NO.:	400-B	DATE:06/08/99	(260) 724-9111


# 400 HARNESS & PIGTAIL #'S


## HARNESSES


AC 110V
ACCESSORY PANEL63938
AC/DC PANEL63937
AFT CABIN HANGING63831
AFT CABIN HEADBOARD63832
AFT STEREO LOCKER63833
BREAKER PNL (AFT)62797
BREAKER PNL (DASH)#162795
BREAKER PNL (DASH)#262796
CABIN LIGHT SWITCH63939
FIRE SYSTEM123493
FIRE SYSTEM LOOP133013

GALLEY AC 110V147933
GALLEY AC 220V147934
GALLEY DC 12V63893
IGNITION PANEL62793
INST PANEL CENTER62946
INST PANEL LEFT62945
INST PANEL LOWER62943
INST PANEL RIGHT62944
NAV ANCH LIGHT63936
RADAR ARCH63889
SHOWER SUMP63932
SPOTLIGHT62947
TRIM UNITS63945
V-BERTH63892

	TITLE: HARNESS & PIGTAIL #'S		THUNDERBIRD PRODUCTS
			P.O. BOX 1003
	MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-500.
	No.: 400-000	DATE: 06/07/99	(260) 724-9111







## FUNCTION:

IN THE CASE OF AN EMERGENCY, IF EITHER BATTERY BANK FAILS, BOTH BANKS CAN BE TIED TOGETHER IN PARALLEL TO PROVIDE POWER.


TO OPERATE:
1. READ AND FULLY UNDERSTAND OPERATORS MANUAL.
2. LOCATED BEHIND THE COCKPIT, UNDER THE WET BAR,
TURN THE BATTERY PARALLEL SWITCH TO 'ON'.


### WARNING:


DO NOT OPERATE BOAT WITH BATTERY PARALLEL SWITCH IN 'ON' POSITION DURING NORMAL OPERATIONS.




TITLE:		ADALLEI	THUNDERBIRD PRODUCTS
	BATTERY PARALLEL		P.O. BOX 1003
	MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
	NO.: 400-002	DATE:06/08/99	(260) 724-9111












- 1. READ AND FULLY UNDERSTAND THE OWNERS MANUAL.
- 2. LOCATED BEHIND THE COCKPIT, UNDER THE WET BAR, TURN THE AUXILLARY BATTERY SWITCH TO 'ON'.
- 3. ON THE DASH BREAKER PANEL, THE "BILGE BLOWER" BREAKER MUST BE PUSHED IN (CLOSED).
- 4. ON THE AFT BREAKER PANEL, BOTH (2) "BLOWER" BREAKERS MUST BE PUSHED IN (CLOSED).
- 5. THE BILGE BLOWERS CAN NOW BE OPERATED BY THE "BLOWER" SWITCH ON THE DASH ACCESSORY PANEL.
- 6. THE BILGE BLOWERS CAN ALSO BE OPERATED BY SWITCHING THE "BLOWER" BREAKER TO "ON" ON THE AC/DC PANEL IN THE CABIN.


G

TITLE: BLOWERS, BILGE		THUNDERBIRD PRODUCTS
		P.O. BOX 1003
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
No.: 400-003	DATE:06/08/99	(260) 724-9111











## TO OPERATE:


- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO 'ON'.
  3. ON THE DASH BREAKER PANEL, THE HEAD BLOWER BREAKER MUST BE PUSHED IN (CLOSED).
  4. THE HEAD BLOWER CAN NOW BE OPERATED BY THE HEAD BLOWER SWITCH IN THE HEAD UNIT.





TITLE:	HEAD	THUNDERBIRD PRODUCTS
BLOWER, HEAD		P.O. BOX 1003
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
NO.: 400-004	DATE:06/08/99	(260) 724-9111
















TITLE: AC/DC PANEL 120VAC/12VDC			THUNDERBIRD PRODUCTS
	120VAC	/12VDC	P.O. BOX 1003
	MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
	NO.: 400-009	DATE:06/08/99	(260) 724-9111








		PANEL	THUNDERBIRD PRODUCTS
	220VA	C/12VDC	P.O. BOX 1003
M	OD,: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
N	vo.: 400−010	DATE:06/08/99	(260) 724-9111




























AFTER READING AND UNDERSTANDING THE GENERATOR OPERATOR'S MANUAL:
TO OPERATE GENERATOR FROM THE REMOTE SWITCH:


- TEST THE CARBON MONOXIDE DETECTOR AND BE CERTAIN IT IS OPERATING CORRECTLY.
- 2. ON THE AC/DC PANELIN THE CABIN, SWITCH THE "BLOWERS" BREAKER TO "ON" AND RUN THEM A MINIMUM OF FOUR (4) MINUTES.
- PLACE THE "SHOREPOWER #1/GENERATOR" SLIDE BAR IN THE "SHOREPOWER #1" POSITION.
- 4. SWITCH ALL AC CIRCUIT BREAKERS TO THE "OFF" POSITION.
- 5. PRESS AND HOLD THE GENERATORS "START" SWITCH.
  NOTE:DO NOT CRANK THE GENERATOR ENGINE CONTINUOUSLY FOR MORE
  THAN TEN (10) SECONDS AT A TIME.
- AFTER THE GENERATOR IS RUNNING, PLACE THE "SHOREPOWER #1/GENERATOR" SLIDE BAR IN THE "GENERATOR" POSITION.
- 7. PLACE THE "SHOREPOWER #2/TRANSFER" SLIDE BAR IN THE "TRANSFER" POSITION.
- SWITCH "ON" THE AC CIRCUIT BREAKERS, ONE AT A TIME, FOR THE ITEMS TO BE USED.


TITLE: GENERATO	R THUNDERBIRD PRODUCTS
OLITEIOTIO	P.O. BOX 1003
MOD.: 400 SS DR BY	: BMW DECATUR IN., 46733-5003
NO.: 400-019 DATE:0	6/08/99 (260) 724-9111






















## TO OPERATE:

- READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
   MAKE SURE THE BOAT IS SUPPLIED WITH SHOREPOWER OR GENERATOR POWER.
   ON THE AC/DC PANEL IN THE CABIN, SWITCH THE AC SYSTEM "MAIN #2" AND "ICE MAKER" BREAKERS TO 'ON'.
   THE ICE MAKER IS NOW SUPPLIED WITH POWER AND READY TO OPERATE.




TITLE: LCF MAKER		MAKED	THUNDERBIRD PRODUCTS
	I CE MAKER		P.O. BOX 1003
	MOD.:400 SS	DR BY: BMW	DECATUR IN., 46733-5003
	NO.: 400-024	DATE:06/08/99	(260) 724-9111





# 400SS ACCESSORY PANEL (REAR VIEW)






PANEL #123348 PIGTAIL #63938

	TITLE: INSTRUMENT PANELS, ACCESSORY PANEL			THUNDERBIRD PRODUCTS	
				P.O. BOX 1003	
	MOD.:	400-SS	DR BY:	BMW	DECATUR IN., 46733-5003
	No.:	400-026	DATE : OF	5/08/99	(260) 724-9111


# 400 SS AFT BREAKER PANEL






PANEL #64156 PIGTAIL #62797

TITLE:	D. D.M.E.	THUNDERBIRD PRODUCTS
AFT BREAKER	R PANEL	P.O. BOX 1003
MOD.: 400 SS DF	R BY: BMW	DECATUR IN., 46733-5003
NO.: 400-027 DA	ATE:06/08/99	(260) 724-9111







TACHOMETER DIP SWITCH SETTINGS


(GASOLINE ONLY)

PANEL #123345 PIGTAIL #62946

CENTER INSTRUMENT	THUNDERBIRD PRODUCTS
PANEL	P.O. BOX 1003
MOD.: 400 SS DR BY: BMW	DECATUR IN., 46733-5003
NO.: 400-030 DATE:06/08/99	(260) 724-9111








IGNITION PANEL

MOD.: 400 SS DR BY: BMW DECATUR IN., 46733-5003

P.O. BOX 1003






THUNDERBIRD PRODUCTS
ENGINEERING

PANEL #123341 PIGTAIL #62945

TITLE: OUTBOARD I	THUNDERBIRD PRODUCTS		
PANEL	P.O. BOX 1003		
MOD.: 400 SS DR BY:	BMW	DECATUR IN., 46733-5003	
NO.: 400-032 DATE:06	5/08/99	(260) 724-9111	

## 400 SS INBOARD INST PANEL (rear view)






PANEL #123340 PIGTAIL #62944

	D CENTER	THUNDERBIRD PRODUCTS			
P.	ANEL	P.O. BOX 1003			
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003			
NO.: 400-033	DATE: 06/08/99	(260) 724-9111			

# 400 SS LOWER INSTRUMENT PANEL






PANEL #123345 PIGTAIL # 62943

_									_
TITLE	: Lo	OWE			ST.	THUNDE	RBIRE	PRODU	JCTS
PANEL				P.0.	BOX	1003			
MOD.:	400	SS	DR E	3Y:	BMW	DECATUR	IN.,	46733-	5003
NO ·	400-	-034	DATE	. 06	/08/99	(260	724	-9111	


# 400 SS TRIM PANEL






PANEL #123349 PIGTAIL #63945

TITLE: TRIM AND		THUNDERBIRD PRODUCTS			
PAN	EL	P.O. BOX 1003			
MOD.: 400 SS DR	BY: BMW	DECATUR IN., 46733-5003			
NO - 400-035 hat	TF - 06 / 08 / 99	(260) 724-9111			







- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE DASH BREAKER PANEL #2, THE "LIGHTS" BREAKER MUST BE PUSHED IN (CLOSED).
  4. THE RADAR ARCH LIGHTS CAN NOW BE OPERATED BY THE "COURT" SWITCH ON THE ACCESSORY PANEL.

	ENGINEERING
E 15 3	PRODUCTS
8	THUNDERBIRD

TITLE: LIGHTS, COURTESY	THUNDERBIRD PRODUCTS		
ARCH	P.O. BOX 1003		
MOD.: 400 SS DR BY: BMW	DECATUR IN., 46733-5003		
NO.: 400-036 DATE: 06/08/9	(260) 724-9111		




# 400 SS COURTESY LIGHTS





- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE
  AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE DASH BREAKER PANEL #2, THE "LIGHTS" BREAKER
  MUST BE PUSHED IN (CLOSED).
  4. THE COURTESY LIGHTS CAN NOW BE OPERATED BY THE
  "COURT" SWITCH ON THE ACCESSORY PANEL.


	THUNDERBIRD
E 1013	PRODUCTS
	ENGINEERING


TITLE:	COURTESY	THUNDERBIRD PRODUCTS			
	KPIT	P.O. BOX 1003			
MOD.: 400 SS D	R BY: BMW	DECATUR IN., 46733-5003			
No.: 400-037 D	ATE:06/08/99	(260) 724-9111			



















- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE AC/DC PANEL IN THE CABIN, SWITCH THE 12 VDC SYSTEM "MAIN #1" AND "LIGHTS" BREAKERS TO "ON".
  4. THE FLOOR LIGHTS CAN NOW BE OPERATED BY THE THIRD LIGHT SWITCH AT THE ENTRYWAY.


THUNDERBIRD
PRODUCTS
ENGINEERING

TITLE	: L1	GHT:	S, CABIN	THUNDERBIRD PRODUCTS		
	FLOOR			P.O. BOX 1003		
MOD.:	400	SS	DR BY: BMW	DECATUR IN., 46733-5003		
NO.:	400-	-041	DATE:06/08/9	9 (260) 724-9111		












- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, THURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE AC/DC PANEL IN THE CABIN, SWITCH THE 12 VDC SYSTEM "MAIN #1" AND "ACCENT LIGHTS" BREAKERS TO "ON".
  4. THE AFT CABIN ACCENT LIGHTS CAN NOW BE OPERATED BY THE SECOND SWITCH IN THE AFT CABIN ENTRYWAY.





	HTS, AFT	THUNDERBIRD PRODUCTS
CABI	N, ÁCCENT	P.O. BOX 1003
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
No.: 400-04		






























- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE DASH BREAKER PANEL #2, BOTH BILGE PUMP BREAKERS MUST BE PUSHED IN (CLOSED).
  4. THE BILGE PUMPS CAN NOW BE OPERATED BY THE "BILGE PUMP" SWITCH ON THE ACCESSORY PANEL.
- T P


THUNDERSTRU PRODUCTS ENGLINEED ING	PUMPS BILGE		THUNDERBIRD PRODUCTS P.O. BOX 1003
ENGINEERING	MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-500
	NO.: 400-049	DATE:06/08/99	(260) 724-9111




















- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE AC/DC PANEL IN THE ABIN, SWITCH THE 12 VDC SYSTEM "MAIN #2" AND "STEREO AMPS" BREAKERS TO "ON".
  4. THE STEREO AMPS ARE NOW SUPPLIED WITH POWER AND READY TO OPERATE.





TITLE: STEREO AMPS		THUNDERBIRD PRODUCTS
		P.O. BOX 1003
MOD.: 400 SS	DR BY: BMW	DECATUR IN., 46733-5003
No.: 400-055	DATE:06/08/99	(260) 724-9111























BREAKER PANEL


\*\*\*\*\*


DOUBLE POLE DOUBLE THROW SWITCH

DC GROUND Ť

PLUG







#### TO OPERATE:

- 1. READ AND FULLY UNDERSTAND THE OWNER'S MANUAL.
  2. LOCATED UNDER THE WET BAR, PORT SIDE, TURN THE AUXILLARY BATTERY SWITCH TO "ON".
  3. ON THE DASH BREAKER PANEL #2, THE "PORT WIPER" AND "STBD WIPER" BREAKERS MUST BE PUSHED IN (CLOSED).
  4. THE WIPERS CAN NOW BE OPERATED BY THE "WIPER" SWITCH
- LOCATED ON THE ACCESSORY PANEL.

NOTE: WHEN THE WIPER SWITCH IS "UP", ONLY THE STBD WIPER OPERATES. WHEN THE WIPER SWITCH IS "DN", BOTH THE WIPERS WILL OPERATE.



TITLE: WIPERS		DEDC	THUNDERBIRD PRODUCTS	
		LIVO	P.O. BOX 1003	
MOD.:	400	SS	DR BY: BMW	DECATUR IN., 46733-5003
NO.:	400-	064	DATE:06/08/99	(260) 724-9111

